

# ALPHALUCE



Architectural  
Lighting

2021-2022



[www.superalphaluce.com](http://www.superalphaluce.com)






## ► MOON




### ALDL1518 IP20

1×7W 350mA Max.19v  
1×10W 500mA Max.19v  
Beam Angle: 15°/24°/35°/60°




### ALDL1519 IP20

1×7W 350mA Max.19v  
1×10W 500mA Max.19v  
Beam Angle: 15°/24°/35°/60°




### ALDL1520 IP20

1×10W 500mA Max.19v  
Beam Angle: 15°/24°/35°/60°




### ALDL1521 IP20

1×10W 500mA Max.19v  
Beam Angle: 15°/24°/35°/60°




### ALDL1530 IP54

1×7W 350mA Max.19v  
1×10W 500mA Max.19v  
Beam Angle: 15°/24°/35°/60°




### ALDL1531 IP54

1×7W 350mA Max.19v  
1×10W 500mA Max.19v  
Beam Angle: 15°/24°/35°/60°




### ALDL1542 IP20

1×13W 350mA Max.37v  
Beam Angle: 15°/24°/35°/60°




### ALDL1543 IP20

1×13W 350mA Max.37v  
Beam Angle: 15°/24°/35°/60°




### ALDL1532 IP54

1×10W 500mA Max.19v  
Beam Angle: 15°/24°/35°/60°




### ALDL1533 IP54

1×10W 500mA Max.19v  
Beam Angle: 15°/24°/35°/60°




### ALDL1544 IP54

1×13W 350mA Max.37v  
Beam Angle: 15°/24°/35°/60°



### ALDL1545 IP54


1×13W 350mA Max.37v  
Beam Angle: 15°/24°/35°/60°






### ALDL1550 IP20

1×13W 350mA Max.37V  
Beam Angle: 50°




### ALDL1551 IP20

1×13W 350mA Max.37V  
Beam Angle: 50°




### ALDL1552 IP20

1×5W 250mA Max.19V  
Beam Angle: 15°/24°/36°/60°




### ALDL1554 IP20

1×5W 250mA Max.19V  
Beam Angle: 15°/24°/36°/60°




### ALDL1553 IP20

1×5W 250mA Max.19V  
Beam Angle: 15°/24°/36°/60°




### ALDL1525 IP20

1×7W 350mA Max.19V  
Beam Angle: 15°/24°/36°/60°




### ALDL1527 IP20

1×7W 350mA Max.19V  
Beam Angle: 15°/24°/36°/60°




### ALDL1526 IP20

1×7W 350mA Max.19V  
Beam Angle: 15°/24°/36°/60°




### ALDL1608 IP20

1×7W 350mA Max.19V  
Beam Angle: 15°/24°/36°/55°




### ALDL1609 IP20

1×7W 350mA Max.19V  
Beam Angle: 15°/24°/36°/55°




### ALDL1516 IP20

1×7W 350mA Max.19V  
1×10W 500mA Max.19V  
Beam Angle: 15°/24°/36°/55°




### ALDL1523 IP20

1×7W 350mA Max.19V  
1×10W 500mA Max.19V  
Beam Angle: 15°/24°/36°/55°




### ALDL1612 IP20

1×7W 350mA Max.19V  
Beam Angle: 15°/24°/36°/55°




### ALDL1529 IP20

1×7W 350mA Max.19V  
1×10W 500mA Max.19V  
Beam Angle: 15°/24°/36°/55°




### ALDL1600 IP20

1×7W 350mA Max.19V  
1×10W 500mA Max.19V  
Beam Angle: 15°/24°/36°/55°



### ALDL1524 IP20

1×7W 350mA Max.19V  
1×10W 500mA Max.19V  
Beam Angle: 15°/24°/36°/55°




## ➤ FORT




### ALDL1517 IP20

1×7W 350mA Max.19V  
1×10W 500mA Max.19V  
Beam Angle: 15°/24°/36°/55°





### ALDL1580 IP20

1×7W 350mA Max.19V  
1×10W 500mA Max.19V  
Beam Angle: 15°/24°/36°/55°




### ALDL1610 IP20

1×7W 350mA Max.19V  
Beam Angle: 15°/24°/36°/55°



### ALDL1611 IP20

1×7W 350mA Max.19V  
Beam Angle: 15°/24°/36°/55°




## ➤ VERO




### ALDL1423 IP20

1×5W 250mA Max.19V  
Beam Angle: 15°/24°/36°/50°




### ALDL1584 IP20

1×7W 350mA Max.19V  
Beam Angle: 15°/24°/36°/50°




### ALDL1586 IP20

1×7W 350mA Max.19V  
Beam Angle: 15°/24°/36°/50°




### ALDL1534 IP20

1×7W 350mA Max.19V  
Beam Angle: 15°/24°/36°/50°




### ALDL1536 IP20

1×7W 350mA Max.19V  
Beam Angle: 15°/24°/36°/50°




### ALDL1592 IP20

1×7W 350mA Max.19V  
Beam Angle: 15°/24°/36°/50°




### ALDL1594 IP20

1×7W 350mA Max.19V  
Beam Angle: 15°/24°/36°/50°



### ALDL1535 IP20

1×7W 350mA Max.19V  
1×10W 500mA Max.19V  
Beam Angle: 15°/24°/36°/50°










### ALDL1537 IP20

1×7W 350mA Max.19V  
1×10W 500mA Max.19V  
Beam Angle: 15°/24°/36°/50°




### ALDL1593 IP20

1×10W 500mA Max.19V  
Beam Angle: 15°/24°/36°/50°



### ALDL1595 IP20

1×10W 500mA Max.19V  
Beam Angle: 15°/24°/36°/50°




## ➤ DOT



### ALDL1613 IP20

1×3W 350mA Max.9V  
Beam Angle: 35°/50°




## ➤ BET




### ALDL1558 IP20

1×5W 250mA Max.19V




### ALDL1559 IP20

2×5W 250mA Max. 2×19V




### ALDL1560 IP20

3×5W 250mA Max. 3×19V



### ALDL1561 IP20


1×7W 350mA Max.19V






### ALDL1562 IP20

2×7W 350mA Max. 2×19V  
Beam Angle: 15°/24°/36°/60°




### ALDL1563 IP20

3×7W 350mA Max. 3×19V  
Beam Angle: 15°/24°/36°/60°




### ALDL1571 IP20

1×5W 250mA Max. 19V  
Beam Angle: 15°/24°/36°/60°




### ALDL1572 IP20

2×5W 250mA Max. 2×19V  
Beam Angle: 15°/24°/36°/60°




### ALDL1573 IP20

3×5W 250mA Max. 3×19V  
Beam Angle: 15°/24°/36°/60°




### ALDL1574 IP20

4×5W 250mA Max. 4×19V  
Beam Angle: 15°/24°/36°/60°




### ALDL1575 IP20

5×5W 250mA Max. 5×19V  
Beam Angle: 15°/24°/36°/60°




### ALDL1617 IP20

1×7W 180mA Max. 37V  
Beam Angle: 24°/40°




### ALDL1618 IP20

1×7W 180mA Max. 37V  
Beam Angle: 24°/40°




### ALDL1619 IP20

1×13W 350mA Max. 37V  
Beam Angle: 24°/40°



### ALDL1620 IP20

1×13W 350mA Max. 37V  
Beam Angle: 24°/40°






# ➤ ROBO




## ALDL1555 IP20

1×5W 250mA Max.19V  
Beam Angle: 15°/24°/36°/60°




## ALDL1557 IP20

1×5W 250mA Max.19V  
Beam Angle: 15°/24°/36°/60°




## ALDL1556 IP20

1×7W 350mA Max.19V  
Beam Angle: 15°/24°/36°/60°




## ALDL1549 IP20

1×7W 350mA Max.19V  
Beam Angle: 15°/24°/36°/60°




## ALDL1601 IP20

1×7W 350mA Max.19V  
Beam Angle: 15°/24°/36°/55°




## ALDL1602 IP20

1×7W 350mA Max.19V  
Beam Angle: 15°/24°/36°/55°




## ALDL1603 IP20

1×7W 350mA Max.19V  
Beam Angle: 15°/24°/36°/55°




## ALDL1604 IP20

1×7W 350mA Max.19V  
Beam Angle: 15°/24°/36°/55°




## ALDL1569 IP20

1×5W 250mA Max.19V  
Beam Angle: 15°/24°/36°/50°




## ALDL1570 IP20

1×5W 250mA Max.19V  
Beam Angle: 15°/24°/36°/50°




## ALDL1576 IP20

1×7W 350mA Max.19V  
Beam Angle: 15°/24°/36°/60°



## ALDL1577 IP20


1×7W 350mA Max.19V  
Beam Angle: 15°/24°/36°/60°






### ALDL1578 IP20

1×7W 350mA Max.19V  
Beam Angle: 15°/24°/36°/60°




### ALDL1579 IP20

1×7W 350mA Max.19V  
Beam Angle: 15°/24°/36°/60°




### ALDL1607 IP20

1×5W 250mA Max.19V  
Beam Angle: 15°/24°/36°/50°




### ALDL1590 IP20

1×7W 350mA Max.19V  
Beam Angle: 15°/24°/36°/60°




### ALDL1547 IP20

1×10W 500mA Max.19V  
Beam Angle: 15°/24°/35°/60°




### ALDL1548 IP20

1×13W 350mA Max.37V  
Beam Angle: 15°/24°/35°/60°




### ALDL1565 IP20

1×7W 350mA Max.19V  
Beam Angle: 15°/24°/36°/50°




### ALDL1591 IP20

1×7W 350mA Max.19V




### ALDL1566 IP20

1×10W 500mA Max.19V  
Beam Angle: 15°/24°/36°/60°




### ALDL1567 IP20

1×13W 350mA Max.37V  
Beam Angle: 15°/24°/36°/60°



### ALDL1621 IP20

1×13W 350mA Max.37V  
Beam Angle: 75°









### ALDL1546 IP20

1×13W 350mA Max.37V  
Beam Angle: 15°/24°/35°/60°




### ALDL1568 IP20

1×13W 350mA Max.37V  
Beam Angle: 15°/24°/35°/60°




### ALCH0208 IP20

1×8W AC230V-50Hz  
Beam Angle: 15°/24°/36°/60°



### ALCH0213 IP20

2×7W AC230V-50Hz  
Beam Angle: 15°/24°/36°/50°




## ➤ ROLL




### ALCH0209 IP20

1×5W AC230V-50Hz  
Beam Angle: 15°/24°/36°/50°




### ALCH0210 IP20

1×5W AC230V-50Hz  
Beam Angle: 15°/24°/36°/50°





### ALCH0211 IP20

1×5W AC230V-50Hz  
Beam Angle: 15°/24°/36°/50°




### ALCH0212 IP20

1×5W AC230V-50Hz  
Beam Angle: 15°/24°/36°/50°




### ALCH0207 IP65

1×8W AC230V-50Hz  
Beam Angle: 15°/24°/36°/50°



### ALCH0183 IP20

1×15W AC230V-50Hz  
Beam Angle: 15°/24°/36°/55°




## ➤ TOUR-48V




**ALTR0190 IP20**

1×15W DC48V  
Beam Angle: 75°




**ALTR0178 IP20**

1×15W DC48V  
Beam Angle: 15°/24°/35°/60°




**ALTR0179 IP20**

1×15W DC48V  
Beam Angle: 15°/24°/35°/60°




**ALTR0180 IP20**

1×15W DC48V  
Beam Angle: 24°/38°




**ALTR0181 IP20**

1×15W DC48V  
Beam Angle: 24°/38°




**ALTR0203 IP20**

1×8W DC48V  
Beam Angle: 15°/24°/36°/50°




**ALTR0188 IP20**

1×5W DC48V  
Beam Angle: 15°/24°/36°/50°



**ALTR0189 IP20**

1×7W DC48V  
Beam Angle: 15°/24°/36°/60°




## ➤ TOUR




**ALTR0177 IP20**

1×11W AC230V-50Hz  
Beam Angle: 13°- 48°




**ALTR0176 IP20**

1×15W AC230V-50Hz  
Beam Angle: 15°/24°/35°/60°




**ALTR0195 IP20**

1×15W AC230V-50Hz  
Beam Angle: 15°- 60°



**ALTR0196 IP20**

1×20W AC230V-50Hz  
Beam Angle: 15°- 60°








## ALTR0197 IP20

1×30W AC230V-50Hz  
Beam Angle: 15°- 60°




## ➤ ZOOM




## ALPH0050 IP20

GU10 AC230V-50Hz




## ALPH0051 IP20

1×8W AC230V-50Hz  
Beam Angle: 15°/24°/36°/50°




## ALPH0053 IP20

1×8W AC230V-50Hz  
Beam Angle: 15°/24°/36°/50°




## ALPH0054 IP20

1×8W AC230V-50Hz  
Beam Angle: 15°/24°/36°/50°




## ALPH0061 IP20

1×8W 220V AC230V-50Hz  
Beam Angle: 15°/24°/36°/50°



## ALPH0062 IP20


1×8W 220V AC230V-50Hz  
Beam Angle: 15°/24°/36°/50°




## ➤ DECK




**ALDL1538** IP67  
1×3W DC24V





**ALDL1539** IP67  
1×3W DC24V




**ALDL1540** IP67  
1×3W DC24V



**ALDL1541** IP67  
1×3W DC24V




**ALDL1589** IP67  
1×7W 600mA Max.12V  
Beam Angle: 10×50°



## ➤ OVAL



**ALWL0090** IP65  
1×15W AC230V-50Hz  
Beam Angle: 10×50°







2022 NEW COLLECTION